

## Resume Builder

Generated by Doxygen 1.8.13



# Contents

<b>1</b>	<b>(1)_builder_static_builder_assets_scss_bootstrap_js_tests_README How does Bootstrap's test suite work?</b>	<b>1</b>
<b>2</b>	<b>Namespace Index</b>	<b>3</b>
2.1	Namespace List . . . . .	3
<b>3</b>	<b>Hierarchical Index</b>	<b>5</b>
3.1	Class Hierarchy . . . . .	5
<b>4</b>	<b>Class Index</b>	<b>7</b>
4.1	Class List . . . . .	7
<b>5</b>	<b>File Index</b>	<b>9</b>
5.1	File List . . . . .	9
<b>6</b>	<b>Namespace Documentation</b>	<b>11</b>
6.1	builder Namespace Reference . . . . .	11
6.2	builder.admin Namespace Reference . . . . .	11
6.3	builder.apps Namespace Reference . . . . .	11
6.4	builder.migrations Namespace Reference . . . . .	11
6.5	builder.models Namespace Reference . . . . .	11
6.6	builder.tests Namespace Reference . . . . .	11
6.7	builder.views Namespace Reference . . . . .	11
6.7.1	Function Documentation . . . . .	12
6.7.1.1	builder() . . . . .	12
6.7.1.2	resume() . . . . .	12

6.8	<a href="#">index Namespace Reference</a>	12
6.9	<a href="#">index.admin Namespace Reference</a>	12
6.10	<a href="#">index.apps Namespace Reference</a>	12
6.11	<a href="#">index.migrations Namespace Reference</a>	13
6.12	<a href="#">index.models Namespace Reference</a>	13
6.13	<a href="#">index.tests Namespace Reference</a>	13
6.14	<a href="#">index.urls Namespace Reference</a>	13
6.14.1	<a href="#">Variable Documentation</a>	13
6.14.1.1	<a href="#">urlpatterns</a>	13
6.15	<a href="#">index.views Namespace Reference</a>	13
6.15.1	<a href="#">Function Documentation</a>	13
6.15.1.1	<a href="#">home()</a>	13
6.16	<a href="#">manage Namespace Reference</a>	14
6.16.1	<a href="#">Detailed Description</a>	14
6.16.2	<a href="#">Function Documentation</a>	14
6.16.2.1	<a href="#">main()</a>	14
6.17	<a href="#">resume_builder Namespace Reference</a>	14
6.18	<a href="#">resume_builder.settings Namespace Reference</a>	14
6.18.1	<a href="#">Detailed Description</a>	15
6.18.2	<a href="#">Variable Documentation</a>	15
6.18.2.1	<a href="#">ALLOWED_HOSTS</a>	15
6.18.2.2	<a href="#">AUTH_PASSWORD_VALIDATORS</a>	15
6.18.2.3	<a href="#">BASE_DIR</a>	15
6.18.2.4	<a href="#">CRISPY_TEMPLATE_PACK</a>	16
6.18.2.5	<a href="#">DATABASES</a>	16
6.18.2.6	<a href="#">DEBUG</a>	16
6.18.2.7	<a href="#">INSTALLED_APPS</a>	16
6.18.2.8	<a href="#">LANGUAGE_CODE</a>	17
6.18.2.9	<a href="#">LOGIN_REDIRECT_URL</a>	17
6.18.2.10	<a href="#">MEDIA_ROOT</a>	17

6.18.2.11 MEDIA_URL . . . . .	17
6.18.2.12 MIDDLEWARE . . . . .	17
6.18.2.13 ROOT_URLCONF . . . . .	18
6.18.2.14 SECRET_KEY . . . . .	18
6.18.2.15 STATIC_URL . . . . .	18
6.18.2.16 TEMPLATES . . . . .	18
6.18.2.17 TIME_ZONE . . . . .	18
6.18.2.18 USE_I18N . . . . .	19
6.18.2.19 USE_L10N . . . . .	19
6.18.2.20 USE_TZ . . . . .	19
6.18.2.21 WSGI_APPLICATION . . . . .	19
6.19 resume_builder.urls Namespace Reference . . . . .	19
6.19.1 Detailed Description . . . . .	19
6.19.2 Variable Documentation . . . . .	20
6.19.2.1 document_root . . . . .	20
6.19.2.2 MEDIA_URL . . . . .	20
6.19.2.3 urlpatterns . . . . .	20
6.20 resume_builder.wsgi Namespace Reference . . . . .	20
6.20.1 Detailed Description . . . . .	20
6.20.2 Variable Documentation . . . . .	21
6.20.2.1 application . . . . .	21
6.21 users Namespace Reference . . . . .	21
6.22 users.admin Namespace Reference . . . . .	21
6.23 users.apps Namespace Reference . . . . .	21
6.24 users.forms Namespace Reference . . . . .	21
6.25 users.migrations Namespace Reference . . . . .	21
6.26 users.migrations.0001_initial Namespace Reference . . . . .	22
6.27 users.models Namespace Reference . . . . .	22
6.28 users.signals Namespace Reference . . . . .	22
6.28.1 Function Documentation . . . . .	22
6.28.1.1 create_profile() . . . . .	22
6.28.1.2 save() . . . . .	22
6.28.2 Variable Documentation . . . . .	23
6.28.2.1 post_save . . . . .	23
6.28.2.2 sender . . . . .	23
6.29 users.tests Namespace Reference . . . . .	23
6.30 users.views Namespace Reference . . . . .	23
6.30.1 Function Documentation . . . . .	23
6.30.1.1 login() . . . . .	23
6.30.1.2 profile() . . . . .	23
6.30.1.3 register() . . . . .	23

<b>7</b>	<b>Class Documentation</b>	<b>25</b>
7.1	builder.apps.BuilderConfig Class Reference	25
7.1.1	Detailed Description	25
7.1.2	Member Data Documentation	25
7.1.2.1	name	25
7.2	index.apps.IndexConfig Class Reference	25
7.2.1	Detailed Description	26
7.2.2	Member Data Documentation	26
7.2.2.1	name	26
7.3	users.forms.ProfileUpdateForm.Meta Class Reference	26
7.3.1	Detailed Description	26
7.3.2	Member Data Documentation	26
7.3.2.1	model	26
7.4	users.forms.UserRegisterForm.Meta Class Reference	27
7.4.1	Detailed Description	27
7.4.2	Member Data Documentation	27
7.4.2.1	fields	27
7.4.2.2	model	27
7.5	users.forms.UserUpdateForm.Meta Class Reference	27
7.5.1	Detailed Description	27
7.5.2	Member Data Documentation	28
7.5.2.1	fields	28
7.5.2.2	model	28
7.6	users.migrations.0001_initial.Migration Class Reference	28
7.6.1	Detailed Description	28
7.6.2	Member Data Documentation	28
7.6.2.1	dependencies	29
7.6.2.2	initial	29
7.6.2.3	operations	29
7.7	users.models.Profile Class Reference	29

7.7.1	Detailed Description . . . . .	30
7.7.2	Member Function Documentation . . . . .	30
7.7.2.1	__str__() . . . . .	30
7.7.2.2	save() . . . . .	30
7.7.3	Member Data Documentation . . . . .	30
7.7.3.1	image . . . . .	30
7.7.3.2	user . . . . .	31
7.8	users.forms.ProfileUpdateForm Class Reference . . . . .	31
7.8.1	Detailed Description . . . . .	31
7.9	users.forms.UserRegisterForm Class Reference . . . . .	31
7.9.1	Detailed Description . . . . .	31
7.9.2	Member Data Documentation . . . . .	32
7.9.2.1	email . . . . .	32
7.10	users.apps.UsersConfig Class Reference . . . . .	32
7.10.1	Detailed Description . . . . .	32
7.10.2	Member Function Documentation . . . . .	32
7.10.2.1	ready() . . . . .	32
7.10.3	Member Data Documentation . . . . .	33
7.10.3.1	name . . . . .	33
7.11	users.forms.UserUpdateForm Class Reference . . . . .	33
7.11.1	Detailed Description . . . . .	33
7.11.2	Member Data Documentation . . . . .	33
7.11.2.1	email . . . . .	33

<b>8 File Documentation</b>	<b>35</b>
8.1 /home/nav221/Downloads/resume_builder (1)/builder/__init__.py File Reference . . . . .	35
8.2 /home/nav221/Downloads/resume_builder (1)/builder/migrations/__init__.py File Reference . . . . .	35
8.3 /home/nav221/Downloads/resume_builder (1)/index/__init__.py File Reference . . . . .	35
8.4 /home/nav221/Downloads/resume_builder (1)/index/migrations/__init__.py File Reference . . . . .	35
8.5 /home/nav221/Downloads/resume_builder (1)/resume_builder/__init__.py File Reference . . . . .	36
8.6 /home/nav221/Downloads/resume_builder (1)/users/__init__.py File Reference . . . . .	36
8.7 /home/nav221/Downloads/resume_builder (1)/users/migrations/__init__.py File Reference . . . . .	36
8.8 /home/nav221/Downloads/resume_builder (1)/builder/admin.py File Reference . . . . .	36
8.9 /home/nav221/Downloads/resume_builder (1)/index/admin.py File Reference . . . . .	36
8.10 /home/nav221/Downloads/resume_builder (1)/users/admin.py File Reference . . . . .	36
8.11 /home/nav221/Downloads/resume_builder (1)/builder/apps.py File Reference . . . . .	37
8.12 /home/nav221/Downloads/resume_builder (1)/index/apps.py File Reference . . . . .	37
8.13 /home/nav221/Downloads/resume_builder (1)/users/apps.py File Reference . . . . .	37
8.14 /home/nav221/Downloads/resume_builder (1)/builder/models.py File Reference . . . . .	37
8.15 /home/nav221/Downloads/resume_builder (1)/index/models.py File Reference . . . . .	37
8.16 /home/nav221/Downloads/resume_builder (1)/users/models.py File Reference . . . . .	38
8.17 /home/nav221/Downloads/resume_builder (1)/builder/static/builder/assets/scss/bootstrap/js/tests/README.md File Reference . . . . .	38
8.18 /home/nav221/Downloads/resume_builder (1)/builder/static/builder/scss/bootstrap/js/tests/README.md File Reference . . . . .	38
8.19 /home/nav221/Downloads/resume_builder (1)/builder/tests.py File Reference . . . . .	38
8.20 /home/nav221/Downloads/resume_builder (1)/index/tests.py File Reference . . . . .	38
8.21 /home/nav221/Downloads/resume_builder (1)/users/tests.py File Reference . . . . .	38
8.22 /home/nav221/Downloads/resume_builder (1)/builder/views.py File Reference . . . . .	38
8.23 /home/nav221/Downloads/resume_builder (1)/index/views.py File Reference . . . . .	39
8.24 /home/nav221/Downloads/resume_builder (1)/users/views.py File Reference . . . . .	39
8.25 /home/nav221/Downloads/resume_builder (1)/index/urls.py File Reference . . . . .	39
8.26 /home/nav221/Downloads/resume_builder (1)/resume_builder/urls.py File Reference . . . . .	39
8.27 /home/nav221/Downloads/resume_builder (1)/manage.py File Reference . . . . .	40
8.28 /home/nav221/Downloads/resume_builder (1)/resume_builder/settings.py File Reference . . . . .	40
8.29 /home/nav221/Downloads/resume_builder (1)/resume_builder/wsgi.py File Reference . . . . .	41
8.30 /home/nav221/Downloads/resume_builder (1)/users/forms.py File Reference . . . . .	41
8.31 /home/nav221/Downloads/resume_builder (1)/users/migrations/0001_initial.py File Reference . . . . .	41
8.32 /home/nav221/Downloads/resume_builder (1)/users/signals.py File Reference . . . . .	41
<b>Index</b>	<b>43</b>



# Chapter 1

## (1)\_builder\_static\_builder\_assets\_scss\_bootstrap\_↵ \_js\_tests\_README How does Bootstrap's test suite work?

Bootstrap uses [QUnit](#) and [Sinon](#). Each plugin has a file dedicated to its tests in `unit/<plugin-name>.js`.

- `unit/` contains the unit test files for each Bootstrap plugin.
- `vendor/` contains third-party testing-related code (QUnit, jQuery and Sinon).
- `visual/` contains "visual" tests which are run interactively in real browsers and require manual verification by humans.

To run the unit test suite via [Karma](#), run `npm run js-test`.

To run the unit test suite via a real web browser, open `index.html` in the browser.

### How do I add a new unit test?

1. Locate and open the file dedicated to the plugin which you need to add tests to (`unit/<plugin-name>.js`).
2. Review the [QUnit API Documentation](#) and use the existing tests as references for how to structure your new tests.
3. Write the necessary unit test(s) for the new or revised functionality.
4. Run `npm run js-test` to see the results of your newly-added test(s).

**Note:** Your new unit tests should fail before your changes are applied to the plugin, and should pass after your changes are applied to the plugin.

### What should a unit test look like?

- Each test should have a unique name clearly stating what unit is being tested.
- Each test should test only one unit per test, although one test can include several assertions. Create multiple tests for multiple units of functionality.
- Each test should begin with `assert.expect` to ensure that the expected assertions are run.
- Each test should follow the project's [JavaScript Code Guidelines](#)

## Code coverage

Currently we're aiming for at least 80% test coverage for our code. To ensure your changes meet or exceed this limit, run `npm run js-compile && npm run js-test` and open the file in `js/coverage/lcov-report/index.html` to see the code coverage for each plugin. See more details when you select a plugin and ensure your change is fully covered by unit tests.

## Example tests

```
// Synchronous test
QUnit.test('should describe the unit being tested', function (assert) {
  assert.expect(1)
  var templateHTML = '<div class="alert alert-danger fade show">' +
    '<a class="close" href="#" data-dismiss="alert">×</a>' +
    '<p><strong>Template necessary for the test.</p>' +
    '</div>'
  var $alert = $(templateHTML).appendTo('#qunit-fixture').bootstrapAlert()

  $alert.find('.close').trigger('click')

  // Make assertion
  assert.strictEqual($alert.hasClass('show'), false, 'remove .show class on .close click')
})

// Asynchronous test
QUnit.test('should describe the unit being tested', function (assert) {
  assert.expect(2)
  var done = assert.async()

  var $tooltip = $('<div title="tooltip title"></div>').bootstrapTooltip()
  var tooltipInstance = $tooltip.data('bs.tooltip')
  var spyShow = sinon.spy(tooltipInstance, 'show')

  $tooltip.appendTo('#qunit-fixture')
  .on('shown.bs.tooltip', function () {
    assert.ok(true, '"shown" event was fired after calling "show"')
    assert.ok(spyShow.called, 'show called')
    done()
  })
  .bootstrapTooltip('show')
})
```

## Chapter 2

# Namespace Index

### 2.1 Namespace List

Here is a list of all namespaces with brief descriptions:

<a href="#">builder</a>	11
<a href="#">builder.admin</a>	11
<a href="#">builder.apps</a>	11
<a href="#">builder.migrations</a>	11
<a href="#">builder.models</a>	11
<a href="#">builder.tests</a>	11
<a href="#">builder.views</a>	11
<a href="#">index</a>	12
<a href="#">index.admin</a>	12
<a href="#">index.apps</a>	12
<a href="#">index.migrations</a>	13
<a href="#">index.models</a>	13
<a href="#">index.tests</a>	13
<a href="#">index.urls</a>	13
<a href="#">index.views</a>	13
<a href="#">manage</a>	14
<a href="#">resume_builder</a>	14
<a href="#">resume_builder.settings</a>	14
<a href="#">resume_builder.urls</a>	19
<a href="#">resume_builder.wsgi</a>	20
<a href="#">users</a>	21
<a href="#">users.admin</a>	21
<a href="#">users.apps</a>	21
<a href="#">users.forms</a>	21
<a href="#">users.migrations</a>	21
<a href="#">users.migrations.0001_initial</a>	22
<a href="#">users.models</a>	22
<a href="#">users.signals</a>	22
<a href="#">users.tests</a>	23
<a href="#">users.views</a>	23



## Chapter 3

# Hierarchical Index

### 3.1 Class Hierarchy

This inheritance list is sorted roughly, but not completely, alphabetically:

users.forms.ProfileUpdateForm.Meta . . . . .	26
users.forms.UserRegisterForm.Meta . . . . .	27
users.forms.UserUpdateForm.Meta . . . . .	27
Migration	
users.migrations.0001_initial.Migration . . . . .	28
Model	
users.models.Profile . . . . .	29
ModelForm	
users.forms.ProfileUpdateForm . . . . .	31
users.forms.UserUpdateForm . . . . .	33
AppConfig	
builder.apps.BuilderConfig . . . . .	25
index.apps.IndexConfig . . . . .	25
users.apps.UsersConfig . . . . .	32
UserCreationForm	
users.forms.UserRegisterForm . . . . .	31



## Chapter 4

# Class Index

### 4.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

<a href="#">builder.apps.BuilderConfig</a>	25
<a href="#">index.apps.IndexConfig</a>	25
<a href="#">users.forms.ProfileUpdateForm.Meta</a>	26
<a href="#">users.forms.UserRegisterForm.Meta</a>	27
<a href="#">users.forms.UserUpdateForm.Meta</a>	27
<a href="#">users.migrations.0001__initial.Migration</a>	28
<a href="#">users.models.Profile</a>	29
<a href="#">users.forms.ProfileUpdateForm</a>	31
<a href="#">users.forms.UserRegisterForm</a>	31
<a href="#">users.apps.UsersConfig</a>	32
<a href="#">users.forms.UserUpdateForm</a>	33





## Chapter 5

# File Index

### 5.1 File List

Here is a list of all files with brief descriptions:

/home/nav221/Downloads/resume_builder (1)/ <a href="#">manage.py</a> . . . . .	40
/home/nav221/Downloads/resume_builder (1)/builder/ <a href="#">__init__.py</a> . . . . .	35
/home/nav221/Downloads/resume_builder (1)/builder/ <a href="#">admin.py</a> . . . . .	36
/home/nav221/Downloads/resume_builder (1)/builder/ <a href="#">apps.py</a> . . . . .	37
/home/nav221/Downloads/resume_builder (1)/builder/ <a href="#">models.py</a> . . . . .	37
/home/nav221/Downloads/resume_builder (1)/builder/ <a href="#">tests.py</a> . . . . .	38
/home/nav221/Downloads/resume_builder (1)/builder/ <a href="#">views.py</a> . . . . .	38
/home/nav221/Downloads/resume_builder (1)/builder/migrations/ <a href="#">__init__.py</a> . . . . .	35
/home/nav221/Downloads/resume_builder (1)/index/ <a href="#">__init__.py</a> . . . . .	35
/home/nav221/Downloads/resume_builder (1)/index/ <a href="#">admin.py</a> . . . . .	36
/home/nav221/Downloads/resume_builder (1)/index/ <a href="#">apps.py</a> . . . . .	37
/home/nav221/Downloads/resume_builder (1)/index/ <a href="#">models.py</a> . . . . .	37
/home/nav221/Downloads/resume_builder (1)/index/ <a href="#">tests.py</a> . . . . .	38
/home/nav221/Downloads/resume_builder (1)/index/ <a href="#">urls.py</a> . . . . .	39
/home/nav221/Downloads/resume_builder (1)/index/ <a href="#">views.py</a> . . . . .	39
/home/nav221/Downloads/resume_builder (1)/index/migrations/ <a href="#">__init__.py</a> . . . . .	35
/home/nav221/Downloads/resume_builder (1)/resume_builder/ <a href="#">__init__.py</a> . . . . .	36
/home/nav221/Downloads/resume_builder (1)/resume_builder/ <a href="#">settings.py</a> . . . . .	40
/home/nav221/Downloads/resume_builder (1)/resume_builder/ <a href="#">urls.py</a> . . . . .	39
/home/nav221/Downloads/resume_builder (1)/resume_builder/ <a href="#">wsgi.py</a> . . . . .	41
/home/nav221/Downloads/resume_builder (1)/users/ <a href="#">__init__.py</a> . . . . .	36
/home/nav221/Downloads/resume_builder (1)/users/ <a href="#">admin.py</a> . . . . .	36
/home/nav221/Downloads/resume_builder (1)/users/ <a href="#">apps.py</a> . . . . .	37
/home/nav221/Downloads/resume_builder (1)/users/ <a href="#">forms.py</a> . . . . .	41
/home/nav221/Downloads/resume_builder (1)/users/ <a href="#">models.py</a> . . . . .	38
/home/nav221/Downloads/resume_builder (1)/users/ <a href="#">signals.py</a> . . . . .	41
/home/nav221/Downloads/resume_builder (1)/users/ <a href="#">tests.py</a> . . . . .	38
/home/nav221/Downloads/resume_builder (1)/users/ <a href="#">views.py</a> . . . . .	39
/home/nav221/Downloads/resume_builder (1)/users/migrations/ <a href="#">0001_initial.py</a> . . . . .	41
/home/nav221/Downloads/resume_builder (1)/users/migrations/ <a href="#">__init__.py</a> . . . . .	36



## Chapter 6

# Namespace Documentation

### 6.1 builder Namespace Reference

#### Namespaces

- [admin](#)
- [apps](#)
- [migrations](#)
- [models](#)
- [tests](#)
- [views](#)

### 6.2 builder.admin Namespace Reference

### 6.3 builder.apps Namespace Reference

#### Classes

- class [BuilderConfig](#)

### 6.4 builder.migrations Namespace Reference

### 6.5 builder.models Namespace Reference

### 6.6 builder.tests Namespace Reference

### 6.7 builder.views Namespace Reference

#### Functions

- def [builder](#) (request)
- def [resume](#) (request)

## 6.7.1 Function Documentation

### 6.7.1.1 `builder()`

```
def builder.views.builder (
    request )
```

Definition at line 6 of file views.py.

### 6.7.1.2 `resume()`

```
def builder.views.resume (
    request )
```

Definition at line 10 of file views.py.

## 6.8 index Namespace Reference

### Namespaces

- [admin](#)
- [apps](#)
- [migrations](#)
- [models](#)
- [tests](#)
- [urls](#)
- [views](#)

## 6.9 index.admin Namespace Reference

## 6.10 index.apps Namespace Reference

### Classes

- class [IndexConfig](#)

## 6.11 index.migrations Namespace Reference

## 6.12 index.models Namespace Reference

## 6.13 index.tests Namespace Reference

## 6.14 index.urls Namespace Reference

### Variables

- list [urlpatterns](#)

### 6.14.1 Variable Documentation

#### 6.14.1.1 urlpatterns

```
list index.urls.urlpatterns
```

#### Initial value:

```
1 = [  
2     path('', views.home, name='index-home'),  
3 ]
```

Definition at line 4 of file urls.py.

## 6.15 index.views Namespace Reference

### Functions

- def [home](#) (request)

### 6.15.1 Function Documentation

#### 6.15.1.1 home()

```
def index.views.home (  
    request )
```

Definition at line 4 of file views.py.

## 6.16 manage Namespace Reference

### Functions

- `def main ()`  
*this function handles the development server and deals with django framework through command line.*

#### 6.16.1 Detailed Description

Django's command-line utility for administrative tasks.

#### 6.16.2 Function Documentation

##### 6.16.2.1 main()

```
def manage.main ( )
```

this function handles the development server and deals with django framework through command line.

Definition at line 7 of file manage.py.

## 6.17 resume\_builder Namespace Reference

### Namespaces

- [settings](#)
- [urls](#)
- [wsgi](#)

## 6.18 resume\_builder.settings Namespace Reference

### Variables

- `BASE_DIR` = `os.path.dirname(os.path.dirname(os.path.abspath(__file__)))`
- string `SECRET_KEY` = `'op%(#b$zd!5ou52omz@w@5k1p27%-(d%t$)+5!ysk1@bnx662c'`
- bool `DEBUG` = `True`
- list `ALLOWED_HOSTS` = `[]`
- list `INSTALLED_APPS`
- list `MIDDLEWARE`
- string `ROOT_URLCONF` = `'resume_builder.urls'`
- list `TEMPLATES`
- string `WSGI_APPLICATION` = `'resume_builder.wsgi.application'`
- dictionary `DATABASES`
- list `AUTH_PASSWORD_VALIDATORS`
- string `LANGUAGE_CODE` = `'en-us'`
- string `TIME_ZONE` = `'UTC'`
- bool `USE_I18N` = `True`
- bool `USE_L10N` = `True`
- bool `USE_TZ` = `True`
- string `STATIC_URL` = `'/static/'`
- `MEDIA_ROOT` = `os.path.join(BASE_DIR, 'media')`
- string `MEDIA_URL` = `'/media/'`
- string `CRISPY_TEMPLATE_PACK` = `'bootstrap4'`
- string `LOGIN_REDIRECT_URL` = `'builder'`

### 6.18.1 Detailed Description

Django settings for resume\_builder project.

Generated by 'django-admin startproject' using Django 2.2.6.

For more information on this file, see  
<https://docs.djangoproject.com/en/2.2/topics/settings/>

For the full list of settings and their values, see  
<https://docs.djangoproject.com/en/2.2/ref/settings/>

### 6.18.2 Variable Documentation

#### 6.18.2.1 ALLOWED\_HOSTS

```
list resume_builder.settings.ALLOWED_HOSTS = []
```

Definition at line 28 of file settings.py.

#### 6.18.2.2 AUTH\_PASSWORD\_VALIDATORS

```
list resume_builder.settings.AUTH_PASSWORD_VALIDATORS
```

**Initial value:**

```
1 = [  
2     {  
3         'NAME': 'django.contrib.auth.password_validation.UserAttributeSimilarityValidator',  
4     },  
5     {  
6         'NAME': 'django.contrib.auth.password_validation.MinimumLengthValidator',  
7     },  
8     {  
9         'NAME': 'django.contrib.auth.password_validation.CommonPasswordValidator',  
10    },  
11    {  
12        'NAME': 'django.contrib.auth.password_validation.NumericPasswordValidator',  
13    },  
14 ]
```

Definition at line 91 of file settings.py.

#### 6.18.2.3 BASE\_DIR

```
resume_builder.settings.BASE_DIR = os.path.dirname(os.path.dirname(os.path.abspath(__file__)))
```

Definition at line 16 of file settings.py.

#### 6.18.2.4 CRISPY\_TEMPLATE\_PACK

```
string resume_builder.settings.CRISPY_TEMPLATE_PACK = 'bootstrap4'
```

Definition at line 129 of file settings.py.

#### 6.18.2.5 DATABASES

```
dictionary resume_builder.settings.DATABASES
```

**Initial value:**

```
1 = {  
2     'default': {  
3         'ENGINE': 'django.db.backends.sqlite3',  
4         'NAME': os.path.join(BASE_DIR, 'db.sqlite3'),  
5     }  
6 }
```

Definition at line 80 of file settings.py.

#### 6.18.2.6 DEBUG

```
bool resume_builder.settings.DEBUG = True
```

Definition at line 26 of file settings.py.

#### 6.18.2.7 INSTALLED\_APPS

```
list resume_builder.settings.INSTALLED_APPS
```

**Initial value:**

```
1 = [  
2     'index.apps.IndexConfig',  
3     'users.apps.UsersConfig',  
4     'builder.apps.BuilderConfig',  
5     'crispy_forms',  
6     'django.contrib.admin',  
7     'django.contrib.auth',  
8     'django.contrib.contenttypes',  
9     'django.contrib.sessions',  
10    'django.contrib.messages',  
11    'django.contrib.staticfiles',  
12 ]
```

Definition at line 33 of file settings.py.



#### 6.18.2.8 LANGUAGE\_CODE

```
string resume_builder.settings.LANGUAGE_CODE = 'en-us'
```

Definition at line 110 of file settings.py.

#### 6.18.2.9 LOGIN\_REDIRECT\_URL

```
string resume_builder.settings.LOGIN_REDIRECT_URL = 'builder'
```

Definition at line 130 of file settings.py.

#### 6.18.2.10 MEDIA\_ROOT

```
resume_builder.settings.MEDIA_ROOT = os.path.join(BASE_DIR, 'media')
```

Definition at line 126 of file settings.py.

#### 6.18.2.11 MEDIA\_URL

```
string resume_builder.settings.MEDIA_URL = '/media/'
```

Definition at line 127 of file settings.py.

#### 6.18.2.12 MIDDLEWARE

```
list resume_builder.settings.MIDDLEWARE
```

**Initial value:**

```
1 = [  
2     'django.middleware.security.SecurityMiddleware',  
3     'django.contrib.sessions.middleware.SessionMiddleware',  
4     'django.middleware.common.CommonMiddleware',  
5     'django.middleware.csrf.CsrfViewMiddleware',  
6     'django.contrib.auth.middleware.AuthenticationMiddleware',  
7     'django.contrib.messages.middleware.MessageMiddleware',  
8     'django.middleware.clickjacking.XFrameOptionsMiddleware',  
9 ]
```

Definition at line 46 of file settings.py.

#### 6.18.2.13 ROOT\_URLCONF

```
string resume_builder.settings.ROOT_URLCONF = 'resume_builder.urls'
```

Definition at line 56 of file settings.py.

#### 6.18.2.14 SECRET\_KEY

```
string resume_builder.settings.SECRET_KEY = 'op%(#b$zd!5ou52omz@w@5k1p27%-(d%t$)+5!ysk1@bnx662c'
```

Definition at line 23 of file settings.py.

#### 6.18.2.15 STATIC\_URL

```
string resume_builder.settings.STATIC_URL = '/static/'
```

Definition at line 124 of file settings.py.

#### 6.18.2.16 TEMPLATES

```
list resume_builder.settings.TEMPLATES
```

**Initial value:**

```
1 = [  
2     {  
3         'BACKEND': 'django.template.backends.django.DjangoTemplates',  
4         'DIRS': [],  
5         'APP_DIRS': True,  
6         'OPTIONS': {  
7             'context_processors': [  
8                 'django.template.context_processors.debug',  
9                 'django.template.context_processors.request',  
10                'django.contrib.auth.context_processors.auth',  
11                'django.contrib.messages.context_processors.messages',  
12            ],  
13        },  
14    ],  
15 ]
```

Definition at line 58 of file settings.py.

#### 6.18.2.17 TIME\_ZONE

```
string resume_builder.settings.TIME_ZONE = 'UTC'
```

Definition at line 112 of file settings.py.

#### 6.18.2.18 USE\_I18N

```
bool resume_builder.settings.USE_I18N = True
```

Definition at line 114 of file settings.py.

#### 6.18.2.19 USE\_L10N

```
bool resume_builder.settings.USE_L10N = True
```

Definition at line 116 of file settings.py.

#### 6.18.2.20 USE\_TZ

```
bool resume_builder.settings.USE_TZ = True
```

Definition at line 118 of file settings.py.

#### 6.18.2.21 WSGI\_APPLICATION

```
string resume_builder.settings.WSGI_APPLICATION = 'resume_builder.wsgi.application'
```

Definition at line 74 of file settings.py.

## 6.19 resume\_builder.urls Namespace Reference

### Variables

- list [urlpatterns](#)
- [MEDIA\\_URL](#)
- [document\\_root](#)

### 6.19.1 Detailed Description

resume\_builder URL Configuration

The 'urlpatterns' list routes URLs to views. For more information please see:  
<https://docs.djangoproject.com/en/2.2/topics/http/urls/>  
Examples:

Function views

1. Add an import: from my\_app import views
2. Add a URL to urlpatterns: path('', views.home, name='home')

Class-based views

1. Add an import: from other\_app.views import Home
2. Add a URL to urlpatterns: path('', Home.as\_view(), name='home')

Including another URLconf

1. Import the include() function: from django.urls import include, path
2. Add a URL to urlpatterns: path('blog/', include('blog.urls'))

## 6.19.2 Variable Documentation

### 6.19.2.1 document\_root

```
resume_builder.urls.document_root
```

Definition at line 37 of file urls.py.

### 6.19.2.2 MEDIA\_URL

```
resume_builder.urls.MEDIA_URL
```

Definition at line 37 of file urls.py.

### 6.19.2.3 urlpatterns

```
list resume_builder.urls.urlpatterns
```

**Initial value:**

```
1 = [  
2     path('', include('index.urls')),  
3     path('index/', include('index.urls')),  
4     path('admin/', admin.site.urls),  
5     path('register/', user_views.register, name="register"),  
6     path('login/', auth_views.LoginView.as_view(template_name="users/login.html"), name="login"),  
7     path('logout/', auth_views.LogoutView.as_view(template_name="users/logout.html"), name="logout"),  
8     path('profile/', user_views.profile, name="profile"),  
9     path('builder/', builder_views.builder, name="builder"),  
10     path('resume/', builder_views.resume, name="resume")  
11 ]
```

Definition at line 24 of file urls.py.

## 6.20 resume\_builder.wsgi Namespace Reference

### Variables

- `application` = `get_wsgi_application()`

### 6.20.1 Detailed Description

WSGI config for resume\_builder project.

It exposes the WSGI callable as a module-level variable named `application`.

For more information on this file, see  
<https://docs.djangoproject.com/en/2.2/howto/deployment/wsgi/>

## 6.20.2 Variable Documentation

### 6.20.2.1 application

```
resume_builder.wsgi.application = get_wsgi_application()
```

Definition at line 16 of file wsgi.py.

## 6.21 users Namespace Reference

### Namespaces

- [admin](#)
- [apps](#)
- [forms](#)
- [migrations](#)
- [models](#)
- [signals](#)
- [tests](#)
- [views](#)

## 6.22 users.admin Namespace Reference

## 6.23 users.apps Namespace Reference

### Classes

- class [UsersConfig](#)

## 6.24 users.forms Namespace Reference

### Classes

- class [ProfileUpdateForm](#)
- class [UserRegisterForm](#)
- class [UserUpdateForm](#)

## 6.25 users.migrations Namespace Reference

### Namespaces

- [0001\\_initial](#)

## 6.26 users.migrations.0001\_initial Namespace Reference

### Classes

- class [Migration](#)

## 6.27 users.models Namespace Reference

### Classes

- class [Profile](#)

## 6.28 users.signals Namespace Reference

### Functions

- def [create\\_profile](#) ([sender](#), instance, created, kwargs)
- def [save](#) ([sender](#), instance, kwargs)

### Variables

- [post\\_save](#)
- [sender](#)

### 6.28.1 Function Documentation

#### 6.28.1.1 create\_profile()

```
def users.signals.create_profile (
    sender,
    instance,
    created,
    kwargs )
```

Definition at line 8 of file signals.py.

#### 6.28.1.2 save()

```
def users.signals.save (
    sender,
    instance,
    kwargs )
```

Definition at line 13 of file signals.py.

## 6.28.2 Variable Documentation

### 6.28.2.1 post\_save

```
users.signals.post_save
```

Definition at line 7 of file signals.py.

### 6.28.2.2 sender

```
users.signals.sender
```

Definition at line 7 of file signals.py.

## 6.29 users.tests Namespace Reference

## 6.30 users.views Namespace Reference

### Functions

- def [register](#) (request)
- def [login](#) (request)
- def [profile](#) (request)

### 6.30.1 Function Documentation

#### 6.30.1.1 login()

```
def users.views.login (  
    request )
```

Definition at line 22 of file views.py.

#### 6.30.1.2 profile()

```
def users.views.profile (  
    request )
```

Definition at line 27 of file views.py.

#### 6.30.1.3 register()

```
def users.views.register (  
    request )
```

Definition at line 7 of file views.py.





## Chapter 7

# Class Documentation

### 7.1 builder.apps.BuilderConfig Class Reference

Inherits AppConfig.

#### Static Public Attributes

- string `name` = 'builder'

#### 7.1.1 Detailed Description

Definition at line 4 of file apps.py.

#### 7.1.2 Member Data Documentation

##### 7.1.2.1 name

```
string builder.apps.BuilderConfig.name = 'builder' [static]
```

Definition at line 5 of file apps.py.

The documentation for this class was generated from the following file:

- `/home/nav221/Downloads/resume_builder (1)/builder/apps.py`

### 7.2 index.apps.IndexConfig Class Reference

Inherits AppConfig.

## Static Public Attributes

- string `name` = 'index'

### 7.2.1 Detailed Description

Definition at line 4 of file apps.py.

### 7.2.2 Member Data Documentation

#### 7.2.2.1 name

```
string index.apps.IndexConfig.name = 'index' [static]
```

Definition at line 5 of file apps.py.

The documentation for this class was generated from the following file:

- /home/nav221/Downloads/resume\_builder (1)/index/apps.py

## 7.3 users.forms.ProfileUpdateForm.Meta Class Reference

## Static Public Attributes

- `model` = `Profile`

### 7.3.1 Detailed Description

Definition at line 24 of file forms.py.

### 7.3.2 Member Data Documentation

#### 7.3.2.1 model

```
users.forms.ProfileUpdateForm.Meta.model = Profile [static]
```

Definition at line 25 of file forms.py.

The documentation for this class was generated from the following file:

- /home/nav221/Downloads/resume\_builder (1)/users/forms.py

## 7.4 users.forms.UserRegisterForm.Meta Class Reference

### Static Public Attributes

- `model` = User
- list `fields` = ['username', 'email', 'first\_name', 'last\_name', 'password1', 'password2']

#### 7.4.1 Detailed Description

Definition at line 9 of file forms.py.

#### 7.4.2 Member Data Documentation

##### 7.4.2.1 fields

```
list users.forms.UserRegisterForm.Meta.fields = ['username', 'email', 'first_name', 'last_name', 'password1', 'password2'] [static]
```

Definition at line 11 of file forms.py.

##### 7.4.2.2 model

```
users.forms.UserRegisterForm.Meta.model = User [static]
```

Definition at line 10 of file forms.py.

The documentation for this class was generated from the following file:

- /home/nav221/Downloads/resume\_builder (1)/users/forms.py

## 7.5 users.forms.UserUpdateForm.Meta Class Reference

### Static Public Attributes

- `model` = User
- list `fields` = ['username', 'email', 'first\_name', 'last\_name']

#### 7.5.1 Detailed Description

Definition at line 18 of file forms.py.

## 7.5.2 Member Data Documentation

### 7.5.2.1 fields

```
list users.forms.UserUpdateForm.Meta.fields = ['username', 'email', 'first_name', 'last_name']  
[static]
```

Definition at line 20 of file forms.py.

### 7.5.2.2 model

```
users.forms.UserUpdateForm.Meta.model = User [static]
```

Definition at line 19 of file forms.py.

The documentation for this class was generated from the following file:

- /home/nav221/Downloads/resume\_builder (1)/users/[forms.py](#)

## 7.6 users.migrations.0001\_initial.Migration Class Reference

Inherits Migration.

### Static Public Attributes

- bool [initial](#) = True
- list [dependencies](#)
- list [operations](#)

### 7.6.1 Detailed Description

Definition at line 8 of file 0001\_initial.py.

## 7.6.2 Member Data Documentation

### 7.6.2.1 dependencies

```
list users.migrations.0001_initial.Migration.dependencies [static]
```

#### Initial value:

```
= [
    migrations.swappable_dependency(settings.AUTH_USER_MODEL),
]
```

Definition at line 12 of file 0001\_initial.py.

### 7.6.2.2 initial

```
bool users.migrations.0001_initial.Migration.initial = True [static]
```

Definition at line 10 of file 0001\_initial.py.

### 7.6.2.3 operations

```
list users.migrations.0001_initial.Migration.operations [static]
```

#### Initial value:

```
= [
    migrations.CreateModel(
        name='Profile',
        fields=[
            ('id', models.AutoField(auto_created=True, primary_key=True, serialize=False, verbose_name='ID')),
            ('image', models.ImageField(default='default.jpg', upload_to='profile_pics')),
            ('user', models.OneToOneField(on_delete=django.db.models.deletion.CASCADE, to=settings.AUTH_USER_MODEL)),
        ],
    ),
]
```

Definition at line 16 of file 0001\_initial.py.

The documentation for this class was generated from the following file:

- /home/nav221/Downloads/resume\_builder (1)/users/migrations/[0001\\_initial.py](#)

## 7.7 users.models.Profile Class Reference

Inherits Model.

## Public Member Functions

- `def __str__(self)`
- `def save(self)`

## Static Public Attributes

- `user = models.OneToOneField(User, on_delete = models.CASCADE)`
- `image = models.ImageField(default = 'profile_pics/default.jpg', upload_to='profile_pics')`

### 7.7.1 Detailed Description

Definition at line 6 of file models.py.

### 7.7.2 Member Function Documentation

#### 7.7.2.1 \_\_str\_\_()

```
def users.models.Profile.__str__ (
    self )
```

Definition at line 10 of file models.py.

#### 7.7.2.2 save()

```
def users.models.Profile.save (
    self )
```

Definition at line 13 of file models.py.

### 7.7.3 Member Data Documentation

#### 7.7.3.1 image

```
users.models.Profile.image = models.ImageField(default = 'profile_pics/default.jpg', upload_to='profile_pics') [static]
```

Definition at line 8 of file models.py.

### 7.7.3.2 user

```
users.models.Profile.user = models.OneToOneField(User, on_delete = models.CASCADE) [static]
```

Definition at line 7 of file models.py.

The documentation for this class was generated from the following file:

- /home/nav221/Downloads/resume\_builder (1)/users/[models.py](#)

## 7.8 users.forms.ProfileUpdateForm Class Reference

Inherits ModelForm.

### Classes

- class [Meta](#)

### 7.8.1 Detailed Description

Definition at line 23 of file forms.py.

The documentation for this class was generated from the following file:

- /home/nav221/Downloads/resume\_builder (1)/users/[forms.py](#)

## 7.9 users.forms.UserRegisterForm Class Reference

Inherits UserCreationForm.

### Classes

- class [Meta](#)

### Static Public Attributes

- [email](#) = forms.EmailField()

### 7.9.1 Detailed Description

Definition at line 6 of file forms.py.

## 7.9.2 Member Data Documentation

### 7.9.2.1 email

```
users.forms.UserRegisterForm.email = forms.EmailField() [static]
```

Definition at line 7 of file forms.py.

The documentation for this class was generated from the following file:

- /home/nav221/Downloads/resume\_builder (1)/users/[forms.py](#)

## 7.10 users.apps.UsersConfig Class Reference

Inherits AppConfig.

### Public Member Functions

- def [ready](#) (self)

### Static Public Attributes

- string [name](#) = 'users'

### 7.10.1 Detailed Description

Definition at line 4 of file apps.py.

### 7.10.2 Member Function Documentation

#### 7.10.2.1 ready()

```
def users.apps.UsersConfig.ready (  
    self )
```

Definition at line 7 of file apps.py.



### 7.10.3 Member Data Documentation

#### 7.10.3.1 name

```
string users.apps.UsersConfig.name = 'users' [static]
```

Definition at line 5 of file apps.py.

The documentation for this class was generated from the following file:

- [/home/nav221/Downloads/resume\\_builder \(1\)/users/apps.py](#)

## 7.11 users.forms.UserUpdateForm Class Reference

Inherits `ModelForm`.

### Classes

- class [Meta](#)

### Static Public Attributes

- [email](#) = `forms.EmailField()`

### 7.11.1 Detailed Description

Definition at line 15 of file forms.py.

### 7.11.2 Member Data Documentation

#### 7.11.2.1 email

```
users.forms.UserUpdateForm.email = forms.EmailField() [static]
```

Definition at line 16 of file forms.py.

The documentation for this class was generated from the following file:

- [/home/nav221/Downloads/resume\\_builder \(1\)/users/forms.py](#)



## Chapter 8

# File Documentation

### 8.1 /home/nav221/Downloads/resume\_builder (1)/builder/\_\_init\_\_.py File Reference

#### Namespaces

- [builder](#)

### 8.2 /home/nav221/Downloads/resume\_builder (1)/builder/migrations/\_\_init\_\_.py File Reference

#### Namespaces

- [builder.migrations](#)

### 8.3 /home/nav221/Downloads/resume\_builder (1)/index/\_\_init\_\_.py File Reference

#### Namespaces

- [index](#)

### 8.4 /home/nav221/Downloads/resume\_builder (1)/index/migrations/\_\_init\_\_.py File Reference

#### Namespaces

- [index.migrations](#)

## 8.5 /home/nav221/Downloads/resume\_builder (1)/resume\_builder/\_\_init\_\_.py File Reference

### Namespaces

- [resume\\_builder](#)

## 8.6 /home/nav221/Downloads/resume\_builder (1)/users/\_\_init\_\_.py File Reference

### Namespaces

- [users](#)

## 8.7 /home/nav221/Downloads/resume\_builder (1)/users/migrations/\_\_init\_\_.py File Reference

### Namespaces

- [users.migrations](#)

## 8.8 /home/nav221/Downloads/resume\_builder (1)/builder/admin.py File Reference

### Namespaces

- [builder.admin](#)

## 8.9 /home/nav221/Downloads/resume\_builder (1)/index/admin.py File Reference

### Namespaces

- [index.admin](#)

## 8.10 /home/nav221/Downloads/resume\_builder (1)/users/admin.py File Reference

### Namespaces

- [users.admin](#)

## 8.11 /home/nav221/Downloads/resume\_builder (1)/builder/apps.py File Reference

### Classes

- class [builder.apps.BuilderConfig](#)

### Namespaces

- [builder.apps](#)

## 8.12 /home/nav221/Downloads/resume\_builder (1)/index/apps.py File Reference

### Classes

- class [index.apps.IndexConfig](#)

### Namespaces

- [index.apps](#)

## 8.13 /home/nav221/Downloads/resume\_builder (1)/users/apps.py File Reference

### Classes

- class [users.apps.UsersConfig](#)

### Namespaces

- [users.apps](#)

## 8.14 /home/nav221/Downloads/resume\_builder (1)/builder/models.py File Reference

### Namespaces

- [builder.models](#)

## 8.15 /home/nav221/Downloads/resume\_builder (1)/index/models.py File Reference

### Namespaces

- [index.models](#)

## 8.16 /home/nav221/Downloads/resume\_builder (1)/users/models.py File Reference

### Classes

- class [users.models.Profile](#)

### Namespaces

- [users.models](#)

## 8.17 /home/nav221/Downloads/resume\_builder (1)/builder/static/builder/assets/scss/bootstrap/js/tests/README.md File Reference

## 8.18 /home/nav221/Downloads/resume\_builder (1)/builder/static/builder/scss/bootstrap/js/tests/README.md File Reference

## 8.19 /home/nav221/Downloads/resume\_builder (1)/builder/tests.py File Reference

### Namespaces

- [builder.tests](#)

## 8.20 /home/nav221/Downloads/resume\_builder (1)/index/tests.py File Reference

### Namespaces

- [index.tests](#)

## 8.21 /home/nav221/Downloads/resume\_builder (1)/users/tests.py File Reference

### Namespaces

- [users.tests](#)

## 8.22 /home/nav221/Downloads/resume\_builder (1)/builder/views.py File Reference

### Namespaces

- [builder.views](#)

## Functions

- def [builder.views.builder](#) (request)
- def [builder.views.resume](#) (request)

## 8.23 /home/nav221/Downloads/resume\_builder (1)/index/views.py File Reference

### Namespaces

- [index.views](#)

### Functions

- def [index.views.home](#) (request)

## 8.24 /home/nav221/Downloads/resume\_builder (1)/users/views.py File Reference

### Namespaces

- [users.views](#)

### Functions

- def [users.views.register](#) (request)
- def [users.views.login](#) (request)
- def [users.views.profile](#) (request)

## 8.25 /home/nav221/Downloads/resume\_builder (1)/index/urls.py File Reference

### Namespaces

- [index.urls](#)

### Variables

- list [index.urls.urlpatterns](#)

## 8.26 /home/nav221/Downloads/resume\_builder (1)/resume\_builder/urls.py File Reference

### Namespaces

- [resume\\_builder.urls](#)

## Variables

- list `resume_builder.urls.urlpatterns`
- `resume_builder.urls.MEDIA_URL`
- `resume_builder.urls.document_root`

## 8.27 /home/nav221/Downloads/resume\_builder (1)/manage.py File Reference

### Namespaces

- `manage`

### Functions

- def `manage.main ()`  
*this function handles the development server and deals with django framework through command line.*

## 8.28 /home/nav221/Downloads/resume\_builder (1)/resume\_builder/settings.py File Reference

### Namespaces

- `resume_builder.settings`

## Variables

- `resume_builder.settings.BASE_DIR` = `os.path.dirname(os.path.dirname(os.path.abspath(__file__)))`
- string `resume_builder.settings.SECRET_KEY` = `'op%(#b$zd!5ou52omz@w@5k1p27%-(d%t$)+5!ysk1@bnx662c'`
- bool `resume_builder.settings.DEBUG` = `True`
- list `resume_builder.settings.ALLOWED_HOSTS` = `[]`
- list `resume_builder.settings.INSTALLED_APPS`
- list `resume_builder.settings.MIDDLEWARE`
- string `resume_builder.settings.ROOT_URLCONF` = `'resume_builder.urls'`
- list `resume_builder.settings.TEMPLATES`
- string `resume_builder.settings.WSGI_APPLICATION` = `'resume_builder.wsgi.application'`
- dictionary `resume_builder.settings.DATABASES`
- list `resume_builder.settings.AUTH_PASSWORD_VALIDATORS`
- string `resume_builder.settings.LANGUAGE_CODE` = `'en-us'`
- string `resume_builder.settings.TIME_ZONE` = `'UTC'`
- bool `resume_builder.settings.USE_I18N` = `True`
- bool `resume_builder.settings.USE_L10N` = `True`
- bool `resume_builder.settings.USE_TZ` = `True`
- string `resume_builder.settings.STATIC_URL` = `'/static/'`
- `resume_builder.settings.MEDIA_ROOT` = `os.path.join(BASE_DIR, 'media')`
- string `resume_builder.settings.MEDIA_URL` = `'/media/'`
- string `resume_builder.settings.CRISPY_TEMPLATE_PACK` = `'bootstrap4'`
- string `resume_builder.settings.LOGIN_REDIRECT_URL` = `'builder'`



## 8.29 /home/nav221/Downloads/resume\_builder (1)/resume\_builder/wsgi.py File Reference

### Namespaces

- [resume\\_builder.wsgi](#)

### Variables

- [resume\\_builder.wsgi.application](#) = [get\\_wsgi\\_application\(\)](#)

## 8.30 /home/nav221/Downloads/resume\_builder (1)/users/forms.py File Reference

### Classes

- class [users.forms.UserRegisterForm](#)
- class [users.forms.UserRegisterForm.Meta](#)
- class [users.forms.UserUpdateForm](#)
- class [users.forms.UserUpdateForm.Meta](#)
- class [users.forms.ProfileUpdateForm](#)
- class [users.forms.ProfileUpdateForm.Meta](#)

### Namespaces

- [users.forms](#)

## 8.31 /home/nav221/Downloads/resume\_builder (1)/users/migrations/0001\_initial.py File Reference

### Classes

- class [users.migrations.0001\\_initial.Migration](#)

### Namespaces

- [users.migrations.0001\\_initial](#)

## 8.32 /home/nav221/Downloads/resume\_builder (1)/users/signals.py File Reference

### Namespaces

- [users.signals](#)

### Functions

- def [users.signals.create\\_profile](#) (sender, instance, created, kwargs)
- def [users.signals.save](#) (sender, instance, kwargs)

### Variables

- [users.signals.post\\_save](#)
- [users.signals.sender](#)



# Index

/home/nav221/Downloads/resume\_builder (1)/builder/↔ py, 37  
    \_\_init\_\_.py, 35 /home/nav221/Downloads/resume\_builder (1)/users/forms.↔  
/home/nav221/Downloads/resume\_builder (1)/builder/admin.↔ py, 41  
    py, 36 /home/nav221/Downloads/resume\_builder (1)/users/migrations/0001↔  
/home/nav221/Downloads/resume\_builder (1)/builder/apps.↔ \_initial.py, 41  
    py, 37 /home/nav221/Downloads/resume\_builder (1)/users/migrations/↔  
/home/nav221/Downloads/resume\_builder (1)/builder/migrations/↔ \_\_init\_\_.py, 36  
    \_\_init\_\_.py, 35 /home/nav221/Downloads/resume\_builder (1)/users/models.↔  
/home/nav221/Downloads/resume\_builder (1)/builder/models.↔ py, 38  
    py, 37 /home/nav221/Downloads/resume\_builder (1)/users/signals.↔  
/home/nav221/Downloads/resume\_builder (1)/builder/static/builder/assets/scss/bootstrap/js/tests/↔  
    README.md, 38 /home/nav221/Downloads/resume\_builder (1)/users/tests.↔  
/home/nav221/Downloads/resume\_builder (1)/builder/static/builder/scss/bootstrap/js/tests/↔  
    README.md, 38 /home/nav221/Downloads/resume\_builder (1)/users/views.↔  
/home/nav221/Downloads/resume\_builder (1)/builder/tests.↔ py, 39  
    py, 38 \_\_str\_\_  
/home/nav221/Downloads/resume\_builder (1)/builder/views.↔ users::models::Profile, 30  
    py, 38  
/home/nav221/Downloads/resume\_builder (1)/index/\_↔ ALLOWED\_HOSTS  
    \_\_init\_\_.py, 35 resume\_builder::settings, 15  
/home/nav221/Downloads/resume\_builder (1)/index/admin.↔ AUTH\_PASSWORD\_VALIDATORS  
    py, 36 resume\_builder::settings, 15  
/home/nav221/Downloads/resume\_builder (1)/index/apps.↔ application  
    py, 37 resume\_builder::wsgi, 21  
/home/nav221/Downloads/resume\_builder (1)/index/migrations/↔  
    \_\_init\_\_.py, 35 BASE\_DIR  
/home/nav221/Downloads/resume\_builder (1)/index/models.↔ resume\_builder::settings, 15  
    py, 37 builder, 11  
/home/nav221/Downloads/resume\_builder (1)/index/tests.↔ builder::views, 12  
    py, 38 builder.admin, 11  
/home/nav221/Downloads/resume\_builder (1)/index/urls.↔ builder.apps, 11  
    py, 39 builder.apps.BuilderConfig, 25  
/home/nav221/Downloads/resume\_builder (1)/index/views.↔ builder.migrations, 11  
    py, 39 builder.models, 11  
/home/nav221/Downloads/resume\_builder (1)/manage.↔ builder.tests, 11  
    py, 40 builder.views, 11  
/home/nav221/Downloads/resume\_builder (1)/resume↔ builder::apps::BuilderConfig  
    \_builder/\_init\_\_.py, 36 name, 25  
/home/nav221/Downloads/resume\_builder (1)/resume↔ builder::views  
    \_builder/settings.py, 40 builder, 12  
/home/nav221/Downloads/resume\_builder (1)/resume↔ resume, 12  
    \_builder/urls.py, 39  
/home/nav221/Downloads/resume\_builder (1)/resume↔ CRISPY\_TEMPLATE\_PACK  
    \_builder/wsgi.py, 41 resume\_builder::settings, 15  
/home/nav221/Downloads/resume\_builder (1)/users/\_↔ create\_profile  
    \_\_init\_\_.py, 36 users::signals, 22  
/home/nav221/Downloads/resume\_builder (1)/users/admin↔ DATABASES  
    py, 36 resume\_builder::settings, 16  
/home/nav221/Downloads/resume\_builder (1)/users/apps.↔ DEBUG

- resume\_builder::settings, 16
- dependencies
  - users::migrations::0001\_initial::Migration, 28
- document\_root
  - resume\_builder::urls, 20
- email
  - users::forms::UserRegisterForm, 32
  - users::forms::UserUpdateForm, 33
- fields
  - users::forms::UserRegisterForm::Meta, 27
  - users::forms::UserUpdateForm::Meta, 28
- home
  - index::views, 13
- INSTALLED\_APPS
  - resume\_builder::settings, 16
- image
  - users::models::Profile, 30
- index, 12
- index.admin, 12
- index.apps, 12
- index.apps.IndexConfig, 25
- index.migrations, 13
- index.models, 13
- index.tests, 13
- index.urls, 13
- index.views, 13
- index::apps::IndexConfig
  - name, 26
- index::urls
  - urlpatterns, 13
- index::views
  - home, 13
- initial
  - users::migrations::0001\_initial::Migration, 29
- LANGUAGE\_CODE
  - resume\_builder::settings, 16
- LOGIN\_REDIRECT\_URL
  - resume\_builder::settings, 17
- login
  - users::views, 23
- MEDIA\_ROOT
  - resume\_builder::settings, 17
- MEDIA\_URL
  - resume\_builder::settings, 17
  - resume\_builder::urls, 20
- MIDDLEWARE
  - resume\_builder::settings, 17
- main
  - manage, 14
- manage, 14
  - main, 14
- model
  - users::forms::ProfileUpdateForm::Meta, 26
  - users::forms::UserRegisterForm::Meta, 27
- users::forms::UserUpdateForm::Meta, 28
- name
  - builder::apps::BuilderConfig, 25
  - index::apps::IndexConfig, 26
  - users::apps::UsersConfig, 33
- operations
  - users::migrations::0001\_initial::Migration, 29
- post\_save
  - users::signals, 23
- profile
  - users::views, 23
- ROOT\_URLCONF
  - resume\_builder::settings, 17
- ready
  - users::apps::UsersConfig, 32
- register
  - users::views, 23
- resume
  - builder::views, 12
- resume\_builder, 14
- resume\_builder.settings, 14
- resume\_builder.urls, 19
- resume\_builder.wsgi, 20
- resume\_builder::settings
  - ALLOWED\_HOSTS, 15
  - AUTH\_PASSWORD\_VALIDATORS, 15
  - BASE\_DIR, 15
  - CRISPY\_TEMPLATE\_PACK, 15
  - DATABASES, 16
  - DEBUG, 16
  - INSTALLED\_APPS, 16
  - LANGUAGE\_CODE, 16
  - LOGIN\_REDIRECT\_URL, 17
  - MEDIA\_ROOT, 17
  - MEDIA\_URL, 17
  - MIDDLEWARE, 17
  - ROOT\_URLCONF, 17
  - SECRET\_KEY, 18
  - STATIC\_URL, 18
  - TEMPLATES, 18
  - TIME\_ZONE, 18
  - USE\_I18N, 18
  - USE\_L10N, 19
  - USE\_TZ, 19
  - WSGI\_APPLICATION, 19
- resume\_builder::urls
  - document\_root, 20
  - MEDIA\_URL, 20
  - urlpatterns, 20
- resume\_builder::wsgi
  - application, 21
- SECRET\_KEY
  - resume\_builder::settings, 18
- STATIC\_URL

- resume\_builder::settings, 18
- save
  - users::models::Profile, 30
  - users::signals, 22
- sender
  - users::signals, 23
- TEMPLATES
  - resume\_builder::settings, 18
- TIME\_ZONE
  - resume\_builder::settings, 18
- USE\_I18N
  - resume\_builder::settings, 18
- USE\_L10N
  - resume\_builder::settings, 19
- USE\_TZ
  - resume\_builder::settings, 19
- urlpatterns
  - index::urls, 13
  - resume\_builder::urls, 20
- user
  - users::models::Profile, 30
- users, 21
- users.admin, 21
- users.apps, 21
- users.apps.UsersConfig, 32
- users.forms, 21
- users.forms.ProfileUpdateForm, 31
- users.forms.ProfileUpdateForm.Meta, 26
- users.forms.UserRegisterForm, 31
- users.forms.UserRegisterForm.Meta, 27
- users.forms.UserUpdateForm, 33
- users.forms.UserUpdateForm.Meta, 27
- users.migrations, 21
- users.migrations.0001\_initial, 22
- users.migrations.0001\_initial.Migration, 28
- users.models, 22
- users.models.Profile, 29
- users.signals, 22
- users.tests, 23
- users.views, 23
- users::apps::UsersConfig
  - name, 33
  - ready, 32
- users::forms::ProfileUpdateForm::Meta
  - model, 26
- users::forms::UserRegisterForm
  - email, 32
- users::forms::UserRegisterForm::Meta
  - fields, 27
  - model, 27
- users::forms::UserUpdateForm
  - email, 33
- users::forms::UserUpdateForm::Meta
  - fields, 28
  - model, 28
- users::migrations::0001\_initial::Migration
  - dependencies, 28
- initial, 29
- operations, 29
- users::models::Profile
  - \_\_str\_\_, 30
  - image, 30
  - save, 30
  - user, 30
- users::signals
  - create\_profile, 22
  - post\_save, 23
  - save, 22
  - sender, 23
- users::views
  - login, 23
  - profile, 23
  - register, 23
- WSGI\_APPLICATION
  - resume\_builder::settings, 19